Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 1/8 Revision: N°1 (14/05/2025)



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: AFM OIL DUPAG

Product code: MT021H. UFI: WT10-4039-T00G-27ES

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name: SELD PRODUCTION.

Address: 6 Rue Jules Guesde. 69360. Saint Symphorien D'ozon. FRANCE.

Telephone: +33(4)37251616. Fax:.

contact@seld-production.com https://www.seld-production.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

2.2. Label elements

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances= 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 649-474-00-6		L	$55 \le x\% \le 60$
CAS: 64742-65-0			
EC: 265-169-7			
DISTILLATES (PETROLEUM),			
SOLVENT-DEWAXED HEAVY PARAFFINIC			

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 2/8

Revision: N°1 (14/05/2025)

CAS: 64742-54-7 EC: 265-157-1 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC INDEX: 649-468-00-3 CAS: 64742-55-8 L 8 <= x% < 11				
EC: 265-157-1 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC NDEX: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 GHS08 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE),HYDROTRAITÉS EC: 260-172-4 GHS09 Aquatic Chronic 2, H411 CI	INDEX: 649-467-00-8		L	$11 \le x\% < 14$
DISTILLATES (PETROLEUM),	CAS: 64742-54-7			
HYDROTREATED HEAVY PÁRAFFINIC INDEX: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	EC: 265-157-1			
HYDROTREATED HEAVY PARAFFINIC INDEX: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
NDEX: 649-468-00-3	DISTILLATES (PETROLEUM),			
CAS: 64742-55-8 EC: 265-158-7 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS (PÉTROLE),HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	HYDROTREATED HEAVY PARAFFINIC			
EC: 265-158-7 DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Digr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS (PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS. C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L	INDEX: 649-468-00-3		L	$8 \le x\% < 11$
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE),HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	CAS: 64742-55-8			
HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE),HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 8-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	EC: 265-158-7			
HYDROTREATED LIGHT PARAFFINIC CAS: 64742-53-6 EC: 265-156-6 Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE),HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 8-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
CAS: 64742-53-6 EC: 265-156-6 DISTILLATS NAPHTÉNIQUESLÉGERS (PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 FHIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 8-(C9-11 BRANCHED ALKYLOXY) DERIVS C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L				
Dgr Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS PÉTROLE),HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1<= x % < 2.5				
Asp. Tox. 1, H304 DISTILLATS NAPHTÉNIQUESLÉGERS (PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5			L	$5 \le x\% \le 8$
DISTILLATS NAPHTÉNIQUESLÉGERS (PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX Aquatic Chronic 2, H411 FHIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH ENDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED ENDEX: 649-455-00-2 L 1 <= x % < 2.5	EC: 265-156-6			
PÉTROLE), HYDROTRAITÉS EC: 800-172-4 REACH: 01-2119969520-35-XXXX GHS09 Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5		Asp. Tox. 1, H304		
GHS09 Aquatic Chronic 2, H411 Index: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
Aquatic Chronic 2, H411 THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
THIOPHENE, TETRAHYDRO-, 1,1-DIOXIDE, 3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				$5 \le x\% \le 8$
3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	REACH: 01-2119969520-35-XXXX	Aquatic Chronic 2, H411		
3-(C9-11 BRANCHED ALKYLOXY) DERIVS., C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5	THORIENE TETRALIVERO 11 DIOVIDE			
C10-RICH INDEX: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
NDEX: 649-483-00-5 L 1 <= x % < 2.5		,		
CAS: 72623-87-1 EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5			т	1 - 0/ - 2.5
EC: 276-738-4 LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5			L	$1 \le x \% < 2.5$
LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED INDEX: 649-455-00-2 L 1 <= x % < 2.5				
HYDROTREATED NEUTRAL OIL-BASED L 1 <= x % < 2.5	EC: 2/0-/38-4			
HYDROTREATED NEUTRAL OIL-BASED L 1 <= x % < 2.5	LUDDICATING OU S (DETDOLEUM) C20 50			
NDEX: 649-455-00-2 L 1 <= x % < 2.5				
			T	$1 \le v^{0} \le 2.5$
				1 - A /0 - 2.J
	EC: 265-091-3			
LC. 203-071-3	LC. 203-071-3			
DISTILLATES (PETROLEUM).	DISTILLATES (PETROLEUM),			
	SOLVENT-REFINED LIGHT PARAFFINIC			

Information on ingredients:

(Full text of H-phrases: see section 16)

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 3/8

Revision: N°1 (14/05/2025)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard ISO 16321.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Not stated.

Date: 31/07/2025 Page 4/8

Revision: N°1 (14/05/2025)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not relevant.

Freezing point

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Freezing point / Freezing range:

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash Point: 140.00 °C.

Auto-ignition temperature

Self-ignition temperature: Not relevant.

Decomposition temperature

Decomposition point/decomposition range: Not relevant.

pН

pH (aqueous solution): Not stated. PH: Not relevant.

Kinematic viscosity

Viscosity: Not stated.

Viscosity: $v < 7 \text{ mm2/s } (40^{\circ}\text{C})$

Solubility

Water solubility: Insoluble. 0.1% Fat solubility: complète

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 0.894

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 5/8

Revision: N°1 (14/05/2025)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1. Substances

a) Acute toxicity:

No data available.

b) Skin corrosion/skin irritation:

No data available.

c) Serious damage to eyes/eye irritation:

No data available.

d) Respiratory or skin sensitisation :

No data available.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard :

No data available.

11.1.2. Mixture

11.1.2.1 Information on hazard classes

a) Acute toxicity:

Oral route: No data available.

Dermal route: No data available.

Inhalation route (Dusts/mist):

No data available.

b) Skin corrosion/skin irritation:

No data available.

c) Serious damage to eyes/eye irritation:

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 6/8

Revision: N°1 (14/05/2025)

d) Respiratory or skin sensitisation:

No data available.

e) Germ cell mutagenicity:

No data available.

f) Carcinogenicity:

No data available.

g) Reproductive toxicant:

No data available.

h) Specific target organ systemic toxicity - single exposure :

No data available.

i) Specific target organ systemic toxicity - repeated exposure :

No data available.

j) Aspiration hazard:

No data available.

11.1.2.2 Other information

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH)

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 7/8 Revision: N°1 (14/05/2025)

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

.

14.4. Packing group

14.5. Environmental hazards

.

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

-

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/2564. (ATP 22)

Container information:

No data available.

Particular provisions:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Authorisations agreed under Title VII of Regulation (EC) No.1907/2006 (REACH):

The mixture does not contain any substance subject to authorisation according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/fr/authorisation-list.

Substances that deplete the ozone layer (EC Regulation No. 1005/2009, Montreal Protocol):

The mixture does not contain any substance posing a risk to the ozone layer.

Persistent organic pollutants (POP) (Regulation (EU) 2019/1021):

The mixture does not contain a persistent organic pollutant.

PIC Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (Rotterdam Convention):

The mixture is not subject to the Prior Informed Consent (PIC) procedure.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H304

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (14/05/2025) SELD PRODUCTION

AFM OIL DUPAG - MT021H

Date: 31/07/2025 Page 8/8

Revision: N°1 (14/05/2025)

H411

Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI: Unique formulation identifier.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IATA : International Air Transport Association.
IMDG : International Maritime Dangerous Goods.
ICAO : International Civil Aviation Organisation

PBT: Persistent, bioaccumulable and toxic.

PIC: Prior Informed Consent.
POP: Persistent Organic Pollutant.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

SVHC : Substances of very high concern.

AK-ertek : Permissible average concentration

WGK: Wassergefahrdungsklasse (Water Hazard Class).